

Republic of the Philippines ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City
Trunkline: (033)320-7190 • Telefax: (033)329-4274
• Website: www.isatu-edu.ph



INVITATION TO BID

THE ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY (ISAT U), Burgos Street, La Paz, Iloilo City, invites interested Suppliers/Bidders to apply for eligibility and to bid for the hereunder project:

Name of Project

: Procurement of IT Equipment, Software and Supplies

(163) Lot 4

Project Reference No.

: ISAT U GOODS-2017-05-37

ABC

: P423, 464.00

Location

: ISAT U Main Campus, Burgos St. La Paz, Iloilo City

Source of Funds

: Fund 163

Prospective bidders should have experience in undertaking a single similar project of at least Fifty (50%) of the ABC to be bid, within the last five (5) years. The Eligibility Check/Screening as well as the Preliminary Examination of Bids shall use the "pass/fail" compliance. Post-gualification of the lowest calculated bid shall be conducted.

SCHEDULE OF ACTIVITY

Receipt of Letter of Intent and issuance of bid documents	June 13, 2017 to June 30, 2017	8:00 a.m. – 5:00 p.m. ISAT U BAC Office
Pre-bid Conference	June 20, 2017	10:00 a.m. VPAA Conference Room
Deadline for Submission of Bids	July 3, 2017	2:30 p.m. VPAA Conference Room
Opening of Bids	July 3, 2017	3:00 p.m. VPAA Conference Room

A complete set of Bid documents will be available at the Supply Office (c/o Caren N. Songcuya) Telephone No. 3207190-Local 208 to prospective bidders only upon payment of a non-refundable amount of **Five hundred Pesos (P500.00)** to the Cashier's Office. It may also be downloaded free of charge from the website: www.isatu.edu.ph, provided that the bidder shall pay a non refundable fee for the bidding documents, not later than the submission of bid.

Only bidders who have purchased the bidding documents shall be allowed to participate in the pre-bid conference. The BAC of ISAT U reserves the right to accept or reject all bids at any time prior to contract award, without hereby incurring liability to the affected bidder or bidders.

The Iloilo Science and Technology University assumes no responsibility whatsoever to compensate or indemnify the supplier/bidders for any expenses incurred in the preparation of their bids.

DR. CORAZON C. CORBAL BAC Chair

ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY BIDS AND AWARDS COMMITTEE

Burgos Street, La paz, Iloilo City

Project Reference No. ISAT U GOODS-2017-05-37

Php 423,464.00

Name of Project: Procurement of IT Equipment, Software and Supplies (FUND 163) Lot 4

INAI	ne or Project. Pro	curement of IT Equipment, Software Section VII. Te				. ,
ITEM		Specification	Instructions: Bidders must state here "Comply" or " Not comply against each of the individual parameter of each specification stating the corresponding performance parameter of the equipment offered. statement of "comply" or "not comply" must be supported by Evidence in a bidders bid and cross-reference to that evidence. Evidence shall be in the form of manufacturer's unamended sales literature, unconditional statements of specifications and and compliance issued by the manufacturer, samples, independent test data etc. as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders Statement of compliance or the supporting evidence that is found to be false either during Bid Evaluation, post qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or Supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a.2) n/or GCC Clause 2.1(a.2)			
NO.						"or " Not comply against each tion stating the corresponding red. statement of "comply" or in a bidders bid and crossis in the form of manufacturer's tements of specifications and samples, independent test data of supported by evidence or is evidence presented will render A statement either in the orting evidence that is found qualification or the execution ent and render the Bidder or provisions of ITB Clause 3.1
ITEM NO.		Specification	UNIT	QTY	BRAND	Statement of Compliance
190.	IT EQUIPME	NT, SOFTWARE AND SUPPLIES				
1	AVR	220 V , AVR 500VA for desktop computer with 4 outlet	units	5		
2	Battery	Battery CMOS battery	pieces	20		
3	Crimper	Crimper LAN Crimper	unit	1		
4	External Hard Dis	1TB 7200 rpm external USB 3.0/2.0 Portable Hard Drive- Black	unit	1		
5	Hard Disk	1 TB SATA Hard Disk for Desktop Computer	unit	10		
6	Headphone	Headphone - HS-5P Backphone Headset	units	15		
7	lnk	Ink - T6641(Black)	bottles	10		
8	Ink	Ink - T6642(Cyan	bottles	10		
9	lnk	Ink - T6643(Magenta)	bottles	10		
10	ink	Ink - T6644(Yellow)	bottles	10	·	
11	Memory	Memory - 4GB DDR3 PC10600/1333	pieces	10		
12	Motherboard	Motherboard , GA-F2A68HM-S1 , FM2+, DDR3,D-SUB, , 7CH, GLAN, M-	units	10		
13	Mouse and Keyboard	Mouse and Keyboard - Combo, KRS-8572 USB Keyboard w/USB MOUSE Combo	units	10		
14	Switch	Network Switch - DGS-1024D 24-port gigabit switch,24 x 10/100/1000, Link activity, port transmission speed, power Standards, IEEE 802.3 10BASE-T Ethernet, IEEE 802.3u 100BASE-TX Fast Ethernet, IEEE 802.3ab 1000BASE-T Gigabit Ethernet, ANSI/IEEE 802.3 NWay autonegotiation, IEEE 802.3x Flow Control	uni:	1		
15	Lan Card	Copper Gigabit PCI card Network card	pieces	10		
16	Lan Card	Networking - DWA 123 Wifi 150 USB Adapter	pieces	3		
17	Lan Card	TL-WN851N Wireless N PCI adapter	pieces	3		
18	Optical Drive	SE-208GB/RSBD External DVD Writer Black with USB Connector	units	5		
19	Power Supply	ATX 600W Power supply (20+4PIN,SATA)	units	10		
20	Printer	L120 Printer with Ink Tank System(Continuous Ink), On- demand ink jet (Piezoelectric), 720 x 720 dpi	unit	2		
21	Processor	Processor RICHLAND A6-6400K 3.9GHz ,(Compatible with MOTHERBOARD IGABYTE GA-F2A68HM-S1 , FM2+DDR3,D-SUB, 7CH, GLAN, M-ATX)	unit	10	·	
22	Projector	3200 lumens brightness, 0.55 inch with MLA (D9), XGA, 1024 x 768, 4:3Upto 1.07 billion colours, USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n (optional), VGA in, HDMI in, Composite in, S-Video in, Cinch audio in, Ad-Hoc / Infrastructure,	unit	1		

23	Lan Tester	Lan Tester for RJ45 and RJ 11	unit	1	ľ	
24	Toner	Toner - MP1600le Black	unit	4		
25	Toner	Toner - Mp2000Le Black	unit	4		
26	Desktop Computer	Desktop Computer - Intel core i5 3.3GHz/H81M-C LGA 1150 USB 3.0/Memory 4GB DDR3/HH/500GB 7200 SATA rpm/DVD Writer SATA/ATX Casing w/600 watts Power Supply/UPS/Monitor 18.5*/Combo Mouse & Keyboard	unit	1		
27	Flash Drive	16 GB USB 3.0 (backward compatible with USB 2.0)	piece	2		
28	tnk		sets	4		
29	Keyboard	USB Keyboard, K120	piece	2		
30	Laptop	Intel Core i5-4200U processor (3M cache, up to 2.60GHz), storage:500GB, Mernory:4GB (1x4GB)DDR3L 1600, 2GB DDR3L VRAM,Optical DVD SuperMulti.	unit	1		
31	Mouse	Optical Mouse	units	2		pa.
32	Printer	Colored Continous Printer Deskjet AiO Printer, Functions Print, copy, scanPrint speed black: ISO: Up to 8 ppm, Draft: Up to 20 ppm, Print speed color: ISO:Up to 5 ppm, Draft:Up to 16 ppm, Connectivity, Display 7 segment + icon LCD, standard 1 Hi-Speed USB 2.0, Paper handling input, standard 60-sheet input tray, Borderless printing Yes, up to 8.5 x 11 in (US letter), 210 x 297 mm (A4)	unit	1		
33	Toner	Risograph Ink - CP1-10, black, 550ml, 17.8 oz	boxes	10		
34	Toner	Toner - Samsung MLT-D101S	cartridges	8		
35	UPS	Back-UPS 650VA, 230V, AVR, 4 Universal Sockets	unit	1		
36	Printer	Laserjet Print speed black: Normal: Up to 18 ppm, Up to 600 x 600 x 2 dpi (1200 dpi effective output), Processor speed 266 MHz, Connectivity, standard 1 Hi-Speed USB 2.0, Paper handling input, standard 150-sheet input tray, Paper handling output, standard 100-sheet output bin, Media sizes supported A4,A5, A6, B5 postcards envelopes (C5, DL, B5),Minimum dimensions (W x D x H) 349 x 238 x 196 mm, Weight 5.3 kg, Package dimensions (W x D x H) 400 x 250 x 298 mm Package weight 6.35 kg	unit	1		
37	Projector	Native Aspect Ratio, 4x3, Series, 3500 lumens, Resolution XGA(1024x768), Contrast 15000, HDMI, internal memory and wireless USB capability with projector screen, Weight(lbs/kg) 5.4/2.5, Product Dimensions HxWxD 8.7in x 11.5in x 4.7in (220mm x 292mm x 121mm), Connections HDMI 1.4, VGA x 2, USB-A (for USB thumb drive or wireless network adapter), USB Mini-B (for display over USB & internal memory file mgmt), Composite Video, S-Video, 3.5 mm stereo in x 2, RS232, USB-B (control & firmware), VGA monitor out, 3.5mm audio out,	unit	1		

BIDDER:		
	Printed Name & Signature of Bidder	