



Republic of the Philippines
ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City

CANVASS PAPER

Doc#46045

Department:	BIDS AND AWARDS COMMITTEE
Document Code:	QF-BAC-02
Rev. No.	3
Effective Date:	August 3, 2015

PR No: SVP-2022-186

Date: _____

GENTLEMEN:

You are hereby invited to quote your price of the articles listed below for immediate delivery if available in your stock. Please submit your quotation in sealed envelope to the Supply Officer, or thru the bearer on before 3:00 PM. We may purchase from you all articles in quotation subject to the existing regulation governing purchase in case your price should be most advantageous to the GOVERNMENT.

For inquiries, please call at Tel. No. (033) 320-7190 Loc 133.

CORAZON C. CORBAL, Ph.D.

Canvassed by:

Mr. Eraño C. Mendoza/ Mr. Lester John Roteros

Printed Name and Signature

Chairman
Bids and Awards Committee

Delivery period upon receipt of order 30 Calendar Days

Approved Budget (Php) 44,079.85

Item No.	Product Category	ITEM	Quantity	Unit	Unit Cost
1	Electronic Instrument	Digital Oscilloscope Number of Channels: 4 Bandwidth: 70MHz, Oscilloscope Type: Digital Storage, Display Type: Colour Minimum Vertical Sensitivity: 5V/div, Minimum Time Base: 15ns/div, Maximum Time Base: 50s/div Screen Size: 5.7in, Sample Rate: Random 1 Gbps, Vertical Resolution: 8 bit, Safety Category Voltage: 300V, Rise Time: 5.8ns, Minimum Operating Temperature: 0° Record Length: 2.8Ks points/ch, Maximum Operating Temperature: +50°C, USB Interface: Yes, Safety Category Level: CAT II	1	unit	
2	Electronic Instrument	Function Generator Maximum Frequency Range Sinewave: 25MHz, Digital Amplitude and Offset: Yes, Internal Linear and Log Sweep: Yes, Modulation: Yes, Time Base Accuracy: ±220ppm, Width: 200mm, Minimum Operating Temperature: +40°C, Attenuation: 20dB, TTL Output Level: = 4V PK-PK, Input Impedance: 10 k	1	unit	
3	Electronic Instrument	Digital Multimeter (DMM) Specifications: Material: ABS, Color: Orange, Display: 4000 counts, CAT level: 600V CAT III/1000V CAT II, Range Control: Auto range & manual range, AC Voltage Range: 400mV/4V/40V/400V/1000V, AC Voltage Range: 400mV/4V/40V/400V/1000V, AC Voltage Range: 0.1mV/0.001V/0.1V/1V, DC Voltage Range: 400mV/4V/40V/400V/1000V, DC Voltage Resolution: 0.1mV/0.001V/0.01V/1V, Diode Test: 2V, Diode Resolution: 0.001V, AC Current Range: 400mA/4000mA/10A	2	units	

turn to next page

We hereby propose to furnish and deliver the above articles according to the specifications quoted above.

CONTRACTOR/ DEALER:

Address: _____

AUTHORIZED REPRESENTATIVE: _____

Tel. No. _____
Signature _____
Date _____

NAME

Page 2 of 2



Republic of the Philippines
ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY
La Paz, Iloilo City

CANVASS PAPER

Doc#46045

Department: BIDS AND AWARDS COMMITTEE
Document Code: OF-BAC-02
Rev. No.: 3
Effective Date: August 3, 2015

PR No: SVP-2022-184

Date:

GENTLEMEN:

You are hereby invited to quote your price of the articles listed below for immediate delivery if available in your stock. Please submit your quotation in sealed envelope to the Supply Officer, or thru the bearer on before 3:00 PM. We may purchase from you all articles in quotation subject to the existing regulation governing purchase in case your price should be most advantageous to the GOVERNMENT.

For inquiries, please call at Tel. No. (033) 320-7190 Loc 133

CORAZON C. CORRAL, Ph.D.

Canvassed by:

Mr. Eraño C. Mendoza/ Mr. Lester J. Rotersos
Printed Name and Signature

Chairman
Bids and Awards Committee

Delivery period upon receipt of order 30 Calendar Days

Approved Budget (Php)

441,679.24

Item No.	Product Category	ITEM	Quantity	Unit	Unit Cost
		AC Current Resolution: 0.10A/1.0/0.01mA/0.1mA/0.001A/0.01A Resistance Range: 400Ω/4kΩ/40kΩ/400kΩ/4MΩ/40MΩ Resistance Resolution: 0.1Ω/0.001kΩ/0.01kΩ/0.001MΩ/0.01MΩ Capacitance Range:			
4	Tools	Electronic/Electrical Soldering Tool Set: 1 unit - Hot air and welding iron 2in1 rework solder station. Dual LCD digital displays to show precision temperature. Hot air Working: AC220V ± 10% 50Hz; Output Power: 750W Temperature Range: 100°C-480°C, Temperature Stability: ±2°C Air Flow: 120L/min (max), solder iron Working: AC 220V 50Hz, Output Power: 70W; Temperature Range: 200°C-480°C Temperature Stability: ±1°C, Solder Iron: ESD design, Material: Ceramics 3 pcs - Soldering Pump 2 units - Soldering Iron 60W, 220Vac	1	set	
5	Tools	Woodworking Router Bits milling Cutter Bits for Wood Straight Engraving Machine Tool set 35pcs x Router Bits with All packing, Type: convex Mill Body Material/Carbide tip 45° steel Y60X, Shank Diameter: 1/2" 12.7MM & 1 1/4" 31.75mm, Balance: 0.003" tolerance, Cutter: CNC ground to a 600 grit mirror like finish, Blade: Industrial grade micro grain carbide	1	set	
6	Electrical	High Speed 2 in 1 Electric Blower + Vacuum, Rated Voltage: 220-240V-50/60-Hz, Blowing rate: 2.3m/min	1	unit	

turn to next page

We hereby propose to furnish and deliver the above articles according to the specifications quoted above.

CONTRACTOR/ DEALER:

Address:

AUTHORIZED REPRESENTATIVE:

NAME

Signature

Date

CANVASS PAPER

Doc#45043

Department	RIS AND ANALYSIS COMMITTEE
Document Code	OF BAC-02
Rev. No.	3
Effective Date	August 3, 2015

PR No: SVP-2022-184

Date: _____

GENTLEMEN:

You are hereby invited to quote your price of the articles listed below for immediate delivery if available in your stock. Please submit your quotation in sealed envelope to the Supply Officer, or thru the bearer on _____ before 3:00 PM. We may purchase from you all articles in quotation subject to the existing regulation governing purchase in case your price should be most advantageous to the GOVERNMENT.

For inquiries, please call at Tel. No. (033) 320-7190 Loc 133.

CORAZON C. CORBAL Ph.D.

Canvassed by: Mr. Eraño C. Mendoza/ Mr. Lester John Roteros
/Printed Name and Signature

Chairman
Bids and Awards Committee

Delivery period upon receipt of order	30	Calendar Days
---------------------------------------	----	---------------

Approved Budget (Php)	4,167,850
-----------------------	-----------

Item No.	Product Category	ITEM	Quantity	Unit	Unit Cost
7	Electrical	Industrial Centrifugal Fan Blower: 1hp, 220V AC, 1P, 4in dia	1	set	
8	Machine	6 in 1 Combo Heat Press Machine Sublimation Printer Type: Inkjet, Certification: CE, Max Paper Size: A4 Paper, Feed Mode: manual, Print Speed: 280ppm, Voltage: 100-240V, 220V/100V, Application: For Commercial Use Dye Sublimation Printer, Consumable Type: Thermal Paper, Color: Black Usage: mug, hat, plates, phone case, shirt, pillow cover, Gross Power: 1350W, Time Range: 0-999sec, Heating Plat Size: 29x38cm Plate Press 12-15 - (29x38cm), Temperature Rang: 0- 399 Fahrenheit degree, Hat/Cap Press- 6 x 3 - (1 Mug Press - 2 3-3.5- diameter, urved), Mug Press -1 2-3 diameter (10OZ), Plate Press -1.5 max diameter, Plate Press -2 6- max diameter, Includes sample: 1xT-shirt, 1xHat, 1xMouse pad, 1xPuzzle, 1xPhone case, 1xHeat Resistant Tape, 10xSublimation paper, 1xLight transfer paper	1	set	
		Warranty Period: At least one year, free Repair and Maintenance including accessories and component within a warranty period			
		Delivery Period: 30 Calendar Days			
		XX			
		For official use: Procurement of FabLab Machine, Instruments and Tools for ISAT U Fab Lab			
		Requested by Carmelo V. Ambat			

We hereby propose to furnish and deliver the above articles according to the specifications quoted above.

CONTRACTOR/ DEALER:

Address:

AUTHORIZED REPRESENTATIVE:

At All No

NAME

Signature

Date _____