

PURCHASE ORDER

ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY
Burgos St., LaPaz, Iloilo City

DOC # 49032

Supplier : **PRINCE VALIANT INTERNATIONAL CORPORATION** P.O. No. : 2022-11-386
 Address : Phase 2 Lucky Homes, Balabago Jaro Iloilo City Date : November 22, 2022
 TIN : 005-980-351-000 Mode of Procurement : Small Value Procurement

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Burgos Street, La Paz, Iloilo City
 Date of Delivery : _____

Delivery Term : 30 Calendar Days upon receipt of P.O.
 Payment Term : _____

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
1	pcs	Air Quality Sensor Breakout Board Adafruit SGP30 Air Quality Sensor Breakout VOC, Eco2 Brand: Adafruit Model: SGP30 Fully integrated MOX gas sensor, Sensor that can detect a wide range of Volatile Organic Compounds (VOCs) and H2 and is intended for indoor air quality monitoring SGP30 has a "standard" hot-plate MOX sensor, as well as a small microcontroller, Uses I2C address 0x58 Product Dimensions: 17.9mm x 17.9mm x 2.9mm/ 0.7" x Product Weight: 1.1 g / 0.0oz	12	3,902.78	46,833.36
2	pcs	Sensor Module, DHT 22 Temperature and Humidity Sensor Module Model: DHT22 3 to 5V power and I/O 5mA max current use during conversion Good for 0-100% humidity readings with 2-5% accuracy Good for -40 to 80°C temperature readings with 2-5% accuracy Good for -40 to 80°C temperature readings ±0.5° No more than 0.5 Hz sampling rate (once every 2 seconds) Body size 27mm x 59mm x 13.5mm (1.05" x 2.32" x 0.53") 4 pins 0.1" spacing, Weight (just the DHT22): 2.4g	12	527.78	6,333.36
****Continue to the Next Page**** Page 1 of 5					
Sub Total					53,166.72

(Total Amount in Words): One Hundred Twenty Four Thousand Three Hundred Fifty and Twenty Four Centavos

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Conforme:

PRINCE VALIANT INTERNATIONAL CORPORATION

Name of Supplier

December 19, 2022

Date

Very truly yours,

RAUL F. MUYONG, Ed.D.

University President

Date

Fund Cluster :

101

Funds Available :

JESSICA M. GENZOLA

Accountant IV

ORS/BURS No. :

Date of the ORS/BURS:

Amount : 124,350.24

PURCHASE ORDER

ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

Burgos St., LaPaz, Iloilo City

DOC # 49032

Supplier : **PRINCE VALIANT INTERNATIONAL CORPORATION** P.O. No. : 2022-11-386
 Address : **Phase 2 Lucky Homes, Balabago Jaro Iloilo City** Date : **November 22, 2022**
 TIN : **005-980-351-000** Mode of Procurement : **Small Value Procurement**

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **Burgos Street, La Paz, Iloilo City** Delivery Term : **30 Calendar Days upon receipt of P.O**
 Date of Delivery : _____ Payment Term : _____

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
3	pcs	Wi-Fi Router ESP8266 ESP-01S Wifi Module 802.11 b/g/n, Wi-Fi Direct (P2P), soft -AP Integrated TCP/IP protocol stack Integrated TR switch, balun. LNA, power amplifier and Integrated PLLs, regulators, DCXO and Power Managemnet Built-in PLL, voltage regulator and power management components +19.5dBm output power in 802.11b mode, Power down leakage current of <10uA 1MB Flash memory Integrated low power 32-bit CPU could be used as SDIO 1.1 / 2.0, SPI, UART, STBC, 1x1 MIMO, 2x1 MIMO, A-MPDU & A-MSDU aggregation & 0.4ms guard interval Wake up and transmit packets in < 2ms, Standby power consumption of < 1.0mW (DTIM3)	12	302.78	3,633.36
4	pcs	Sensor - Dust Sensor GP2Y1010AUOF for Arduino Model: AB124 Brand: Circuit Rocks Optical-type air quality sensor. The purpose of this sensor is to detect dust particles. The primary components are a infrared emitting diode and a phototransistor. The sensor has a lowerpower consumption of 20mA max. The power input can be up to 7VDC. Output reading is an analog voltage proportional to the measured dust density which the sensitivity is 0.5V/0.1mg/m3 ***** Continue to the Next Page***** Page 2 of 5	12	1,002.78	12,033.36
				Sub Total	15,666.72

(Total Amount in Words): One Hundred Twenty Four Thousand Three Hundred Fifty and Twenty Four Centavos

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Conforme:

PRINCE VALIANT INTERNATIONAL CORPORATION

Name of Supplier

December 19, 2022

Date

Very truly yours,

RAUL F. MUYONG, Ed.D.

University President

Date

DEC 13 2022

Fund Cluster : 001

Funds Available : _____

JESSICA M. GENZOLA

Accountant IV

ORS/BURS No. : 2022 12 1016

Date of the ORS/BURS: _____

Amount : 124,350.24

PURCHASE ORDER

ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

Burgos St., LaPaz, Iloilo City

DOC # 49032

Supplier : PRINCE VALIANT INTERNATIONAL CORPORATION	P.O. No. : 2022-11-386
Address : Phase 2 Lucky Homes, Balabago Jaro Iloilo City	Date : November 22, 2022
TIN : 005-980-351-000	Mode of Procurement : Small Value Procurement

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Burgos Street, La Paz, Iloilo City	Delivery Term : 30 Calendar Days upon receipt of P.O
Date of Delivery :	Payment Term :

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
5	pcs	Microprocessor - Uno R3 Board based on Arduino Brand: Arduino Microcontroller: ATmega328P Operating Voltage: 5V, Input Voltage (recommended): 7-9V Digital I/O Pins: 14 (of which 6 provide PWM output) PWM Digital I/O Pins: 6, Analog Input Pins: 6 DC Current per I/O Pin: 20 mA, DC Current for 3.3V Pin: 50 mA Flash Memory: 32 KB (ATmega328P) of which 0.5 KB used by bootloader, SRAM: 2 KB (ATmega328P), EEPROM: 1 KB (ATmega328P) Clock speed: 16MHz, Length: 68.6mm, Width: 53.4mm, Weight: 25g	12	1,652.78	19,833.36
6	pcs	Power Supply, 9V 2A Power Adapter Model: 9V 2A DC Voltage Input: AC 100-240V Frequency Response: 50/60Hz Voltage Output: DC 9V Electric Current: Max 2A Length of the cable: approx. 93cm (36.6 inch), Internal diameter of the connector: 2.1 - 2.5 mm (0.1inch) External diameter of the connector: 5mm (0.2 inch), Weight: 146g	12	465.28	5,583.36
*****Continue to the Next Page***** Page 3 of 5					
Sub Total					25,416.72

(Total Amount in Words): One Hundred Twenty Four Thousand Three Hundred Fifty and Twenty Four Centavos

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Conforme:


PRINCE VALIANT INTERNATIONAL CORPORATION

Name of Supplier

December 19, 2022

Date

Very truly yours,


RAUL F. MUYONG, Ed.D.

University President

Date

DEC 19 2022

Fund Cluster : 01Funds Available : 86,000**JESSICA M. GENZOLA**

Accountant IV

ORS/BURS No. : 2022 12 190

Date of the ORS/BURS: _____

Amount : **124,350.24**

PURCHASE ORDER
ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY
 Burgos St., LaPaz, Iloilo City

DOC # 49032

Supplier : **PRINCE VALIANT INTERNATIONAL CORPORATION** P.O. No. : 2022-11-386
 Address : Phase 2 Lucky Homes, Balabago Jaro Iloilo City Date : November 22, 2022
 TIN : 005-980-351-000 Mode of Procurement : **Small Value Procurement**

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : Burgos Street, La Paz, Iloilo City Delivery Term : 30 Calendar Days upon receipt of P.O
 Date of Delivery : _____ Payment Term : _____

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
7	pcs	Battery, PKCell 3.7V Lithium-ion 18650 Battery Battery Type: ICR 18600 3.7V 2200mAh Li-ion Model: ICR18650 3.7V Li-ion Battery Voltage: 3.7V Storage Voltage: 3.7-3.9V Li-ion Charging Cut-off Voltage: 4.2V Discharge Cut-off Voltage: 3.0V Capacity: 2200mAh, Size: 18*65.0mm Protected: NO, Battery top: Flat top Max Constant Charging Current: 2200mA(1C) Max Constant Discharging Current: 4400mA(2C) Material: Lithium Li-ion ICR Recharging Cycles: At least 500 cycles Applications: Flashlight, Headlamp, Lantern, LED light, Dive light, Green laser, Fan, Headlight, Torch- Laser Pointer, Gun Laser, Weapon Light, Mechanical Box Mod and so on. *****Continue to the Next Page***** Page 4 of 5	12	377.78	4,533.36
Sub Total					4,533.36

(Total Amount in Words): One Hundred Twenty Four Thousand Three Hundred Fifty and Twenty Four Centavos

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Conforme:

PRINCE VALIANT INTERNATIONAL CORPORATION

Name of Supplier

December 19, 2022

Date

Very truly yours,

RAUL F. MUYONG, Ed.D.

University President

Date

Fund Cluster : 101

Funds Available : _____

JESSICA M. GENZOLA

Accountant IV

ORS/BURS No. : 2022 12-1610

Date of the ORS/BURS: _____

Amount : **124,350.24**

PURCHASE ORDER

ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY
Burgos St., LaPaz, Iloilo City

DOC # 49032

Supplier : **PRINCE VALIANT INTERNATIONAL CORPORATION** P.O. No. : 2022-11-386
 Address : **Phase 2 Lucky Homes, Balabago Jaro Iloilo City** Date : **November 22, 2022**
 TIN : 005-980-351-000 Mode of Procurement : **Small Value Procurement**

Gentlemen:

Please furnish this Office the following articles subject to the terms and conditions contained herein:

Place of Delivery : **Burgos Street, La Paz, Iloilo City** Delivery Term : 30 Calendar Days upon receipt of P.O.
 Date of Delivery : _____ Payment Term : _____

Stock/ Property No.	Unit	Description	Quantity	Unit Cost	Amount
8	pcs	Battery Holder, 18650 Batter Holder - 1 Cell Every 18650 Battery Holder is equipped with two 6" cables for power and ground, each have been terminated with bare wire leads. High-quality Plastic Holder, easy to carry Embossed battery polarity marks Size: Small Color: Black Battery Type: 1 pc 18650 Dimensions: 75mm x 21mm x 18mm	12	102.78	1,233.36
9	pcs	Printer Circuit Board FR4 Single Sided Copper Printed Circuit Board PCB CLAD Laminate Model: FR4 Electrical Circuit parts: Conductor Dimension: 24.35" X 20.25" Note: Accessories not mentioned in this Quote is not included Warranty Period: 6 months *****Nothing to Follows**** For official use in the approved Research Project " ISAT U-AMBIANCE" Requested by: Yvette G. Gonzales Page 5 of 5	12	2,027.78	24,333.36
Total					124,350.24

(Total Amount in Words): One Hundred Twenty Four Thousand Three Hundred Fifty and Twenty Four Centavos

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed on the undelivered item/s.

Conforme:

PRINCE VALIANT INTERNATIONAL CORPORATION

Name of Supplier

December 19, 2022
Date

Very truly yours,

RAUL F. MUYONG, Ed.D.

University President

Date

Fund Cluster : 01ORS/BURS No. : 2022-12-1010

Funds Available : _____

Date of the ORS/BURS: _____

Amount : **124,350.24****JESSICA M. GENZOLA**

Accountant IV