



Republic of the Philippines  
**ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY**

La Paz, Iloilo City

• Trunkline: (033)320-7190 • Telefax: (033)329-4274

• Website: [www.isatu.edu.ph](http://www.isatu.edu.ph)



## Section VII. Technical Specifications

ITEM NO.	SPECIFICATION	STATEMENT OF COMPLIANCE
	ABC ( P 199,650.00)	[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution.]

### Procurement of Mechanical Tools and Supplies for CIT

ITEM NO.	Specification	UNIT	QTY	BRAND	Statement of Compliance
1	Hacksaw Frame Square-Fixed Type Heavy Duty Hacksaw Frame, (Size 12" 305mm); Aluminium Handle with rubber grip; 55 degree and 90 degree angle cut	pcs.	5		
2	Allen Wrench Hex Keys with plastic casing; Metric 10pcs/set (1.5mm-12mm); ball end long arm; High Torque Protanium Steel and high wear resistance grade	set	1		
3	Allen Wrench Hex Keys with plastic casing; English 10pcs/set (1/8";1/2") with ball end; High Torque Protanium Steel and high wear resistance grade	set	1		
4	Level Bar Heavy Duty; Aluminium Frame; 60cm with magnet, reliable and tested brand	pc	1		
5	Level Bar Heavy Duty; Aluminium Frame; 30cm with magnet, reliable and tested brand	pc	1		
6	File Round slim taper; bastard; Double cut; 10" length; high wear resistance steel grade with reliable and tested brand	pcs.	5		
7	File Triangular slim taper file; bastard; single cut; 10" length: high wear resistance steel grade with reliable and tested brand	pcs.	5		
8	File Square slim taper; bastard; Double cut; 10" length high wear resistance steel grade with reliable and tested brand	pcs.	5		
9	Tin Snip Ball Snip; 16" Heavy duty; Industrial type; high wear resistance steel grade with reliable and tested brand	pcs.	2		
10	Tin Snip Straight and Curved (left and right) aviation snips 3pcs /set; 250mm Heavy duty; Industrial type; high	sets	2		



Republic of the Philippines  
**ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY**

La Paz, Iloilo City

• Trunkline: (033)320-7190 • Telefax: (033)329-4274  
 • Website: [www.isatu.edu.ph](http://www.isatu.edu.ph)



		wear resistance steel grade with reliable and tested brand				
11	Tap Wrench	Adjustable Hand Tap Wrench; Model No. 4 (1/16-1/12) with reliable and tested brand	pcs.	2		
12	Plier	Long Nose (8"/200mm; Jaw lengt: 2 5/16"; Jaw width: 15/16"; Jaw Thickness 15/32)	pcs.	2		
13	Plier	Electrical Plier (Size: 8"/200mm; width=6.4; height=3.8; length=24.8; Weight 0.34 kgs)	pcs.	2		
14	Drill Chuck	Jacobs Drill Chuck with key; Ranging from 0mm-13mm, press fit type	pcs.	3		
15	Rubber Mallet	16oz with wooden handle; Length: 55mm; Height: 92mm; width: 335mm	pcs.	4		
16	Vise Grip	Sheet metal Vise Grip, 8", heavy duty alloy steel, reliable and tested brand	pcs.	4		
17	Portable Hand Drill	Key type; 3/8" steel drill bit capacity; 220v; variable speed ranging 0-2500rpm; 4.9 AMPS.; 10 9/32" overall length; 3.1 lbs in wieght; with complete accessories, authentic serial number (not immitation), users manual, reliable and tested brand	unit	1		
18	Angle Grinder	Steel body(silver color); Contiinuous Rating Output: 570W; 4" wheel diameter; 12000 rpm, 10" in length; 1.8kg net wieght; 220V; with complete accessories, authentic serial number (not immitation), users manual, reliable and tested brand	unit	2		
19	Riveter	Right angle riveter; Heavy duty spring loaded handle; slim nose design; 1/8", 3/16", 5/32" revits loading capacity with reliable and tested brand	pcs.	3		
20	Try Square	Try Square Professional; Steel body with 45 degree and 90 degre angles; 10" 12EM (46-534-98); reliable and tested brand	pcs.	4		
21	Frame Square	Steel Square measure 16"X24", with metric and english measuring graduations; reliable and tested brand	pcs.	3		
22	CutOff Machine	Heavy Duty, 2000w continuous rating input, 14" wheel diameter; 1" hole diameter; 15 amps; 3800 rpm load speed; 18.4kg net weight; max cutting capacity of 4-1/2"at both 90 and 45 degree angles with complete accessories, authentic serial number (not immitation), users manual, reliable and tested brand	unit	1		
23	Grinding Wheel	Grinding Wheel Aluminum Oxide, 8"diameter, 1"width, 1-1/4 center hole, grit 200 (WA 200 KL)	pcs	2		





Republic of the Philippines  
**ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY**

La Paz, Iloilo City

• Trunkline: (033)320-7190 • Telefax: (033)329-4274

• Website: [www.isatu.edu.ph](http://www.isatu.edu.ph)



24	Shafting	Solid Shafting, CRS 32mm x 6m	length	3		
25	Shafting	Solid Shafting, CRS 20 mm x 6m	length	3		
26	Shafting	Solid Shafting, CRS 1/2mm x 20ft	length	3		
27	Hydraulic Oil	Hydraulic Oil, Oil 10	galoon	2		
28	Center Drill	Center Drill, HSS 5/16"-1/8"x50mm	pcs	15		
29	Tool Bit	HSS, 5/16 Toolbit	pcs	20		
30	G.I. Sheet	4ft x 8ft; Gage 16	pcs	4		
31	Paint Brush	2"; yellow strands	pcs	15		
32	Cutting Disc	105 x 1x 16mm, for steel	pcs	40		
33	Grinding Disc	100 x 6 x 16mm for steel	pcs	10		
34	Flap Disc	100 x 16mm ; 120cc	pcs	5		
35	Sand Paper	120cc	pcs	20		
36	Round Bar	8mm x 6m	length	20		
37	Hand Held Hacksaw Blade	300mm x 1.4mm; 224 HE; 24TPI (100pcs/box)	box	1		
38	Cutting fluid	Cutting oil; Range: xdp 905 (5L)	gallon	1		
39	Cut Off Disc	355 x 3.5 x 25.4mm for steel	pcs	3		
40	Power hacksaw blade	1 1/4" x 14" x 10TPI	pcs	2		
41	Pull- Push Rule	10m	pcs	5		
		Delivery Period: 30 days				
		Warranty 1 year				