

Republic of the Philippines

lloilo Science and Technology University

Burgos St., La Paz, Iloilo City, 5000 Philippines
Trunkline: (+6333) 320-7190 | Telefax: (+6333) 329-4274
https://www.isatu.edu.ph/
mail@isatu.edu.ph

SUPPLEMENTAL / BID BULLETIN

March 7, 2024

ADDENDUM NO. 01

This supplemental/bid bulletin is being issued to further clarify the **technical specifications** of items and **schedule** for the **PROCUREMENT OF ID HOLDER AND OTHER SUPPLIES FOR OSAS**.

Project Reference Number

ISAT U GOODS-2024-02-028

Location of the Contract

ISAT University Main Campus, Burgos Street, La Paz, Iloilo City

Approved Budget : PhP 909,400.00

Please be informed of the revised technical specifications of the items, as follow;

| ITEM NO. | PRODUCT CATEGORY | FROM DESCRIPTION | TO DESCRIPTION | UNIT | QTY |
|---|--|---|--|------|-----|
| | | | | | |
| Note: The supplier must be an authorized distributor or have a certification from Manufacturer of MATICA XID 8600 | Note: The supplier must have an authorized distributor certification from Manufacturer of MATICA | | | | |
| | COLOR | Color Ribbon Y,M,C,K for XID Retransfer Printer Series(1000 prints/roll) MATICA XID 8600 | Color Ribbon Y,M,C,K for XID Retransfer Printer Series(1000 prints/roll) MATICA XID 8600 | | |
| 4 | | Note: The supplier must be an authorized distributor or have a certification from Manufacturer of MATICA XID 8600 | Note: The supplier must have an authorized distributor certification from Manufacturer of MATICA | rls | 7 |
| | | Warranty period: 6 months for items 1, 2, 5, and 6 1 year for items 3 and 4 | | | |















- 1

And the re-schedule of the Opening of Bids:

| From: | То: | |
|------------------------------------|------------------------------------|--|
| March 18, 2024 on or before 5:00pm | March 19, 2024 on or before 5:00pm | |

This Supplemental Bid Bulletin No. 1 shall form part of the Bidding Documents. For the guidance and information of all concerned $\frac{1}{2}$

ENIEDA G. CORONA

BAC Chairperson















