



Republic of the Philippines
Iloilo Science and Technology University
 Burgos St., La Paz, Iloilo City, 5000 Philippines
 Trunk line: (+6333) 320-7190 | Telefax: (+6333) 329-4274
<https://www.isatu.edu.ph/>
mail@isatu.edu.ph

OFFICE OF THE BIDS AND AWARDS COMMITTEE

RESOLUTION NO. 714, s. 2023

**A RESOLUTION DECLARING THE LOWEST CALCULATED AND RESPONSIVE BID (LCRB) AND RECOMMENDING AWARD FOR THE PROCUREMENT OF UNINTERRUPTIBLE POWER SUPPLY (UPS) SYSTEM FOR MIS
 Project Reference No. ISAT U GOODS 2023-09-084**

WHEREAS, the Iloilo Science and Technology University (ISAT U), through the Bids and Awards Committee (BAC), posted the Invitation to Bid (IB) for the Procurement of Uninterruptible Power Supply System for MIS on the website of the Philippine Government Electronic Procurement System (PhilGEPS), ISAT U Website and at a conspicuous place within the premises of the University continuously for at least seven (7) calendar days with the total Approved Budget for the Contract (ABC) of One Million Three Hundred Thousand Pesos Only (PhP 1,300,000.00) inclusive of applicable taxes, "short of award";

WHEREAS, a Pre-Bid Conference was held on October 6, 2023 with five (5) prospective bidder in attendance, namely;

1. LSI Leading Technologies, Inc.
2. AEP Integration Systems
3. Microgenesis Business Systems
4. Aspex, Inc.
5. Computron Business Center

WHEREAS, in response to the said posting, there were four (4) prospective bidders purchased the bidding documents, namely;

1. LSI Leading Technologies, Inc.
2. Handlink, Inc.
3. Microgenesis Business Systems
4. Aspex, Inc.

WHEREAS, there were four (4) the prospective bidders who submitted their bid proposals within the deadline set on October 17, 2023 at 5pm, namely;

1. LSI Leading Technologies, Inc.
2. Handlink, Inc.
3. Microgenesis Business Systems
4. Aspex, Inc.

WHEREAS, during the bid opening held last October 18, 2023, the BAC reviewed the eligibility, technical and financial envelopes of each prospective bidders using the "pass/fail" criteria as provided under Section 30 of 2016 Revised Implementing Rules and Regulations of RA 9184, with the following results;

Name of Bidder/s	Bid Amount (As Read)	Remarks
Handlink, Inc.	831,126.00	Passed 2 nd Lowest
Microgenesis Business System	1,000,000.00	Passed 3 rd Lowest

Aspex, Inc.		Failed "No service center within the locality"
LSI Leading Technologies, Inc.	507,542.88	Passed Lowest Bidder

WHEREAS, the TWG conducted thorough review of bid, with the following results:

Name of Bidder/s	Bid Amount (As Calculated)	Remarks
LSI Leading Technologies, Inc.	507,542.88	LCB
Handlink, Inc.	831,126.00	2 nd Lowest
Microgenesis Business System	1,000,000.00	3 rd Lowest

WHEREAS, the BAC conducted post-qualification to the LSI Leading Technologies, Inc. on November 23, 2023 has compiled with and is responsive on all requirements and conditions as specified in the Bidding Documents;

NOW, THEREFORE, the foregoing premises considered, WE, the Members of ISAT U Bids and Awards Committee (BAC), hereby RESOLVE, as it is hereby RESOLVED:

- a. To declare that LSI LEADING TECHNOLOGIES, INas the Lowest Calculated and Responsive Bid (LCRB) for the PROCUREMENT OF UNINTERRUPTIBLE POWER SUPPLY (UPS) SYSTEM FOR MIS and awarded the contract in the total amount of Five Hundred Seven Thousand Five Hundred Forty Three Pesos and Eighty Eight Centavos Only (Php 507,543.88) inclusive of applicable taxes; and
- b. To recommend for approval of the University President the foregoing findings.

Resolved this 6th day of December , 2023 at the ISATU Main Campus, Burgos St., La Paz, Iloilo City.


I HEREBY CERTIFY TO THE CORRECTNESS
OF THE FOREGOING RESOLUTION


LILY GRACE D. FERNANDEZ
OIC- BAC Secretariat Head

ATTESTED:


ENGR. REYNARD CHU
End User


JAMES P. GUTIERREZ
Technical Working Group


JUNIFFER B. BADOLES, DIT
BAC Member


VICKY D. JERUTA
BAC Member


HEINZ B. GUMAQUIL, PhD
BAC Member

EN
ENIEDA G. CORONA
BAC Vice Chairperson

Corbal
CORAZON C. CORBAL, PhD
BAC Chairperson

APPROVED:

GMS
GABRIEL M. SALISTRE, JR., PEE, DIT
SUC PRESIDENT III

