

ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City

Department:	Bids and Awards Committee
Doc. Code:	QF-BAC-02
Rev. No.:	00
Effective Date:	July 1, 2022

REQUEST FOR QUOTATION

(PR/JR NO.)	SVP-2024-104 Date	:	APR 1 0 2024	
		Doc Track No.	:	68550

TO: ALL PROSPECTIVE SUPPLIERS

- The Iloilo Science and Technology University (ISAT U) through the Office of the BIDS and AWARDS
 COMMITTEE, intends to procure DRIP IRRIGATION KIT AND OTHER SUPPLIES AND MATERIALS
 for CY 2024, in accordance with Section 53.9 (Negotiated Procurement Small Value Procurement) of
 the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.
- The Approved Budget for the Contract (ABC) is <u>Fifty One Thousand Eight Hundred Pesos (51,800.00)</u>.
 The period for the performance of this obligations shall not go beyond the validity of the appropriations for this project. For purposes of evaluation, comparison and ranking of bids/offers, the suppliers who submitted the single / lowest calculated responsive quotation shall be awarded the Purchase Order after evaluation by the Technical Working Group (TWG).
- The Procurement Mechanism to be used is "BY LOT".
- 4. Please quote your best offer for item/s described herein, subject to the <u>(Terms of Conditions/Technical Specifications)</u> of this Request for Quotation (RFQ). Subject your quotation duly signed by your authorized representative not later than 3:00 PM on <u>APR 1 6 2024</u> at the Procurement Management Office (PMO) BAC Secretariat Office, ISAT U, Burgos St., La Paz, Iloilo City. Quotations may also be submitted through email at the address and contact numbers indicated below.
- Quotation shall be enclosed in a sealed envelope and addressed the PMO BAC Secretariat at the address
 given above. The envelope should have the PR/JR Number boldly and conspicuously identified.
- 6. The successful proponent must be able to meet the following requirements:
 - 6.1 The Terms and Conditions/Technical Specifications, as provided.
 - 6.2 The Schedule of Requirements, as provided.
 - 6.3 A copy of your 2024 Business Permit/Mayor's Permit and PhilGEPS Registration Number is also required to be submitted along with your signed quotation/proposal. (see GPPB Resolution No. 09-2020 Item 6.2)
 - 6.4 The Omnibus Sworn Statement (GPPB-prescribed forms), Income/Business Tax Return for ABC's above PhP 500,000.00 will also be required to be submitted *prior to award.* (see GPPB Resolution No. 09-2020 Item 6.3)
- The quotation should be valid for sixty (60) calendar days from the due date indicated above.
- ISAT U reserves the right to request for additional documents that it deems necessary in order to make any decision or any quotation.
- All prospective suppliers must fill out the RFQ provided by ISAT U. Any quotation other than what is provided by the Procuring Entity (PE) or is patently not complying with the RFQ requirements may not be considered.
- ISAT U reserves the right to accept or reject any quotation, to annul the procurement process, or not to award the contract without thereby incurring any liability to the affected bidders.
- Submission of quotation in response to this request shall be construed as commitment to undertake the services in accordance with the terms and conditions or specifications, and schedule of implementation set forth in this RFQ.
- 12. For any clarification, you may contact us at (033) 320-7190 local no. 133 or email us at bac.isatu@gmail.com

ENIEDA G. CORONA BAC Chairperson

1. bacsec 2024 F101



ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City

Department:	Bids and Awards Committee	
Doc. Code:	QF-BAC-02	Ī
Rev. No.:	00	Ī
Effective Date:	July 1 2022	

REQUEST FOR QUOTATION

(PR/JR NO.)

SVP-2024-104

Date

: APR 1 1 2024

Doc Track No. : 68550

INSTRUCTIONS

- Accomplish this RFQ correctly, accurately, and completely.
- 2. Do not alter the contents of this form in any way.
- All technical specifications are mandatory. Failure to comply with any of the mandatory requirements will disqualify your quotation.
- 4. Failure to follow these instructions will disqualify your entire quotation.

TECHNICAL SPECIFICATION

- Please quote your <u>best offer</u> for item/s below. Please do not leave any blank items. Indicate "F" if the item offered is for FREE or "NA" for NOT AVAILABLE in the "Total Cost" if applicable.
- Bidders must state "Comply" or any equivalent term in the column "Bidder's Statement of Compliance" against each of the individual parameters of each Specification.

. 1			ABC per					up by Supplie	er
Item No.	Product Category	Description/Specification	Line Item (If applicable)	QTY	Unit	Bidder's Offer (State brand & model)	Bidder's Statement of Compliance	Unit Cost (VAT Inclusive)	Total Cost (VAT Inclusive)
1	Drip Irrigation	Drip Irrigation Kit. DIY garden micro drip irrigation garden. Plant watering kit garden fog cooling irrigation system with distribution tube hose adjustable nozzle 14 inch hose. Hose diameter ¼ inch. Hose length 40 meters. Also included in the set are, Connector, Tee, Dripper, Fixing Pole.		2	sets				
2	DC Water Pump	Water pump. 12V DC. 180W. 1.5 cu m/hour flow rate. 15 meter max head. Outlet diameter 1 inch		1	set				
3	DC Water Pump	Brushless motor water circulation pump. 12V DC. 22W. 800 liter/hour. 5 meter max head. Outlet diameter 0.5		1	set				
4	Valve	Swing Valve. Brass. ¾ inch in diameter		4	sets				



ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City

Department:	Bids and Awards Committee
Doc. Code:	QF-BAC-02
Rev. No.:	00
Effective Date:	July 1, 2022

REQUEST FOR QUOTATION

(PR/JR NO.) : SVP-2024-104

Date : APR 1 0 2024

Doc Track No. : 68550

Electric Valve	Electric Solenoid Valve Two Way Brass Normally Closed DC 12V. ¾" for Water. Closed-Solenoid-Valve. Normally Closed. Double position, one way, normally closed switch. Fluid Temperature: -5°C~ 80°C. Work Pressure: 0-10Kg/cm². Protect Class: IP65	4	sets			
Pipe Filters	Garden Pipe Filters, Landscaping, Agriculture, Plastic, Drip Irrigation, High Quality Filtered Water Accessories	2	pcs			
Water Tank	Water Tank. PVC. 200 Liters	1	рс			
Water Tank	Water Tank. PVC. 100 Liters	4	pcs			
Valve	Brass check valve. ¾ inch	4	pcs			
DC Pump	Fertilizer Pump Water Powered Dosing Pump Mix Chemical Injector Proportioning Dispenser Liquid. Proportion Range: 0.4%-4% (1:25- 1:250) Range: 20L/H-2500L/H Working Water Pressure: 0.2-3bar. Inlet Diameter: Approx. 32mm / 1.3in Outlet Diameter: Approx. 25mm / 1.0in	1	set			
Power Adapter	Adjustable Voltage ON/OFF Adapter 3V- 12V 2A 24W power supply Charger 5.5mm Blower Fan Controller adjust speed regulation governing	8	pcs			
	Pipe Filters Water Tank Valve DC Pump	Normally Closed DC 12V. ¾" for Water. Closed-Solenoid-Valve. Normally Closed. Double position, one way, normally closed switch. Fluid Temperature: -5°C- 80°C. Work Pressure: 0-10Kg/cm². Protect Class: IP65 Pipe Filters Garden Pipe Filters, Landscaping, Agriculture, Plastic, Drip Irrigation, High Quality Filtered Water Accessories Water Tank Water Tank. PVC. 200 Liters Water Tank Water Tank. PVC. 100 Liters Portilizer Pump Water Powered Dosing Pump Mix Chemical Injector Proportion Range: 0.4% -4% (1:25- 1:250) Range: 20L/H-2500L/H Working Water Pressure: 0.2-3bar. Inlet Diameter: Approx. 32mm / 1.3in Outlet Diameter: Approx. 25mm / 1.0in Power Adapter Adjustable Voltage ON/OFF Adapter 3V- 12V 2A 24W power supply Charger 5.5mm Blower Fan Controller adjust	Valve Normally Closed DC 12V. ¾«" for Water. Closed-Solenoid-Valve. Normally Closed. Double position, one way, normally closed switch. Fluid Temperature: -5°C-80°C. Work Pressure: 0-10Kg/cm². Protect Class: IP65 Pipe Filters Garden Pipe Filters, Landscaping, Agriculture, Plastic, Drip Irrigation, High Quality Filtered Water Accessories Water Tank Water Tank. PVC. 200 Liters 1 Water Tank Water Tank. PVC. 100 Liters 4 Valve Brass check valve. ¾ inch 4 PC Pump Fertilizer Pump Water Powered Dosing Pump Mix Chemical Injector Proportioning Dispenser Liquid. Proportion Range: 0.4%-4% (1:25-1:250) Range: 20L/H-2500L/H Working Water Pressure: 0.2-3bar. Inlet Diameter: Approx. 32mm / 1.3in Outlet Diameter: Approx. 25mm / 1.0in Power Adapter Adjustable Voltage ON/OFF Adapter 3V-12V 2A 24W power supply Charger 5.5mm Blower Fan Controller adjust	Valve Normally Closed DC 12V. ¾" for Water. Closed-Solenoid-Valve. Normally Closed. Double position, one way, normally closed switch. Fluid Temperature: -5°C-80°C. Work Pressure: 0-10Kg/cm². Protect Class: 1P65 Pipe Filters Garden Pipe Filters, Landscaping, Agriculture, Plastic, Drip Irrigation, High Quality Filtered Water Accessories 2 pcs Water Tank Water Tank. PVC. 200 Liters 1 pc Water Tank Water Tank. PVC. 100 Liters 4 pcs DC Pump Fertilizer Pump Water Powered Dosing Pump Mix Chemical Injector Proportioning Dispenser Liquid. Proportion Range: 0-4%-9% (1:25-1:250). Range: 20L/H-2500L/H Working Water Pressure: 0.2-3bar. Inlet Diameter: Approx. 32mm / 1.3in Oufet Diameter: Approx. 25mm / 1.0in 1 set Power Adapter Adjustable Voltage ON/OFF Adapter 3V-12V 2A 24W power supply Charger 5.5mm Blower Fan Controller adjust 8 pcs	Valve Normally Closed Dc 12V. ¾* for Water. Closed-Sponiol-Valve. Normally Closed. Double position, one way, normally closed switch. Fluid Temperature: -5°C-80°C. Work Pressure: 0-10Kg/cm². Protect Class: IP65 Pipe Filters Garden Pipe Filters, Landscaping, Agriculture, Plastic, Drip Irrigation, High Quality Filtered Water Accessories 1 pc Water Tank Water Tank. PVC. 200 Liters 1 pc Water Tank Water Tank. PVC. 100 Liters 4 pcs Valve Brass check valve. ¾ inch 4 pcs DC Pump Fertilizer Pump Water Powered Dosing Pump Mix Chemical Injector Proportioning Dispenser Liquid. Proportion Range: 0.4%-4% (1:25-1:250) Range: 20(1)-42500(1)-4 Working Water Pressure: 0.2-3bar. Inlet Diameter: Approx. 32mm / 1.3in Outlet Diameter: Approx. 25mm / 1.0in 8 pcs Power Adapter Adjustable Voltage ON/OFF Adapter 3V-12V 2A 24W power supply Charger 5.5mm Blower Fan Controller adjust. 8 pcs	Valve



ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City

Department:	Bids and Awards Committee	
Doc. Code:	QF-BAC-02	Ī
Rev. No.:	00	1
Effective Date:	hdv 1 2022	_

REQUEST FOR QUOTATION

(PR/JR NO.)	:	SVP-2024-104	Date		APR 1 0 2024
			Doc Track No.	:	68550

12	Fertigation	Venturi Fertilizer Injector. Plastic. Male thread connector. ¾ inch inlet/outlet.	2	pcs		
13	Fertigation	Venturi Fertilizer Injector. Plastic. Male thread connector. 1 inch inlet/outlet	1	рс		
		X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-				

SCI	EDULE OF REQUIREMENT	
Particular	University Requirement	Supplier's Offer
Delivery Period	45 Calendar Days after receipt of Purchase Request	
Warranty Period	·	
After Sales Services (If applicable)		

4.



ILOILO SCIENCE AND TECHNOLOGY UNIVERSITY

La Paz, Iloilo City

Department:	Bids and Awards Committee
Doc. Code:	QF-BAC-02
Rev. No.:	00
Effective Date:	July 1 2022

REQUEST FOR QUOTATION

(PR/JR NO.) : _SV	P-2024-104	Date Doc Track No.	: 68550
	SUPPLIER'S	INFORMATION	
Supplier's Business Nar	me		
Supplier's Business Add	dress		
Contact No.			
Fax No.			
Email Address			
TIN No.			
PhilGEPS Registration I	No.		
		Signature over	Printed Name
		Position/De	esignation
		Da	te